



# L

## 3/8" (9,525 mm)


## FÜR TAPER BUCHSEN



Figur 3F




Figur 5F




Figur 8F


Z	Riemenbr.	Mat.	Fig.	Best. Nr.	Bush	Dp	De	Df	Dm	Di	F	S	R	Gewicht
18	50	ST	8F	018L050T	1108	54,57	53,81	60	44	-	19	22	3,0	0,2
	75	ST	3F	018L075T	1108	54,57	53,81	60	-	-	25	25	-	0,2
	100	ST	5F	018L100T	1108	54,57	53,81	60	-	38	31	22	9,0	0,2
19	50	ST	8F	019L050T	1108	57,61	56,84	60	44	-	19	22	3,0	0,2
	75	ST	3F	019L075T	1108	57,61	56,84	60	-	-	25	25	-	0,3
	100	ST	5F	019L100T	1108	57,61	56,84	60	-	38	31	22	9,0	0,3
20	50	ST	8F	020L050T	1108	60,64	59,88	66	48	-	19	22	3,0	0,2
	75	ST	3F	020L075T	1108	60,64	59,88	66	-	-	25	25	-	0,3
	100	ST	5F	020L100T	1108	60,64	59,88	66	-	45	31	22	9,0	0,4
21	50	ST	8F	021L050T	1108	63,67	62,91	71	48	-	19	22	3,0	0,3
	75	ST	3F	021L075T	1108	63,67	62,91	71	-	-	25	25	-	0,4
	100	ST	5F	021L100T	1108	63,67	62,91	71	-	47	31	22	9,0	0,4
22	50	ST	8F	022L050T	1108	66,70	65,94	75	51	-	19	22	3,0	0,3
	75	ST	3F	022L075T	1108	66,70	65,94	75	-	-	25	25	-	0,4
	100	ST	5F	022L100T	1108	66,70	65,94	75	-	51	31	22	9,0	0,4
23	50	GG	8F	023L050T	1108	69,73	68,97	79	54	-	19	22	3,0	0,4
	75	GG	3F	023L075T	1108	69,73	68,97	79	-	-	25	25	-	0,4
	100	GG	5F	023L100T	1108	69,73	68,97	79	-	54	32	22	10,0	0,5
24	50	GG	8F	024L050T	1108	72,77	72,00	79	54	-	19	22	3,0	0,4
	75	GG	3F	024L075T	1108	72,77	72,00	79	-	-	25	25	-	0,5
	100	GG	5F	024L100T	1108	72,77	72,00	79	-	54	32	22	10,0	0,6
25	50	GG	8F	025L050T	1108	75,80	75,04	83	56	-	19	22	3,0	0,5
	75	GG	3F	025L075T	1108	75,80	75,04	83	-	-	25	25	-	0,6
	100	GG	5F	025L100T	1108	75,80	75,04	83	-	56	32	22	10,0	0,6
26	50	GG	8F	026L050T	1108	78,83	78,07	87	60	-	19	22	3,0	0,5
	75	GG	3F	026L075T	1108	78,83	78,07	87	-	-	25	25	-	0,6
	100	GG	5F	026L100T	1108	78,83	78,07	87	-	60	32	22	10,0	0,7
27	50	GG	8F	027L050T	1108	81,86	81,10	87	65	-	19	22	3,0	0,6
	75	GG	3F	027L075T	1108	81,86	81,10	87	-	-	25	25	-	0,7
	100	GG	5F	027L100T	1108	81,86	81,10	87	-	62	32	22	10,0	0,8
28	50	GG	8F	028L050T	1108	84,89	84,13	91	65	-	19	22	3,0	0,6
	75	GG	3F	028L075T	1108	84,89	84,13	91	-	-	25	25	-	0,7
	100	GG	5F	028L100T	1108	84,89	84,13	91	-	65	32	22	10,0	0,8
30	50	GG	8F	030L050T	1108	90,96	90,20	97	70	-	19	22	3,0	0,8
	75	GG	3F	030L075T	1108	90,96	90,20	97	-	-	25	25	-	0,9
	100	GG	5F	030L100T	1210	90,96	90,20	97	-	71	32	25	7,0	0,9
32	50	GG	8F	032L050T	1108	97,02	96,26	103	74	-	19	22	3,0	0,9
	75	GG	3F	032L075T	1108	97,02	96,26	103	-	-	25	25	-	1,0
	100	GG	5F	032L100T	1210	97,02	96,26	103	-	75	32	25	7,0	1,0
36	50	GG	8F	036L050T	1108	109,15	108,39	115	87	-	19	22	3,0	1,2
	75	GG	3F	036L075T	1610	109,15	108,39	115	-	-	25	25	-	1,2
	100	GG	5F	036L100T	1610	109,15	108,39	115	-	89	32	25	7,0	1,4
40	50	GG	8F	040L050T	1610	121,28	120,51	127	97	-	19	25	6,0	1,5
	75	GG	3F	040L075T	1610	121,28	120,51	127	-	-	25	25	-	1,7
	100	GG	5F	040L100T	1610	121,28	120,51	127	-	101	32	25	7,0	1,7




Figur 3A




Figur 3W




Figur 3WF




Figur 5WF



Figur 7A



Figur 8WF




Figur 9W

Z	Riemenbr.	Mat.	Fig.	Best. Nr.	Bush	Dp	De	Df	Dm	Di	F	S	R	Gewicht
48	50	GG	8WF	048L050T	1610	145,53	144,77	152	88	124	19	25	6,0	2,3
	75	GG	3WF	048L075T	1610	145,53	144,77	152	92	124	25	25	-	2,5
	100	GG	5WF	048L100T	1610	145,53	144,77	152	92	124	32	25	7,0	2,7
60	50	GG	7A	060L050T	1610	181,91	181,15	-	92	166	19	25	3,0	2,0
	75	GG	3W	060L075T	1610	181,91	181,15	-	92	166	25	25	-	3,0
	100	GG	9W	060L100T	1610	181,91	181,15	-	92	166	32	25	3,5	2,4
72	50	GG	7A	072L050T	1610	218,30	217,53	-	92	202	19	25	3,0	3,0
	75	GG	3A	072L075T	1610	218,30	217,53	-	92	202	25	25	-	4,0
	100	GG	3A	072L100T	2012	218,30	217,53	-	106	202	32	32	-	4,4
84	50	GG	7A	084L050T	1610	254,68	253,92	-	92	236	19	25	3,0	4,0
	75	GG	7A	084L075T	2012	254,68	253,92	-	106	236	25	32	3,5	5,2
	100	GG	3A	084L100T	2012	254,68	253,92	-	106	236	32	32	-	6,0
96	50	GG	7A	096L050T	2012	291,06	290,30	-	106	270	19	32	6,5	5,5
	75	GG	7A	096L075T	2012	291,06	290,30	-	106	270	25	32	3,5	6,5
	100	GG	3A	096L100T	2012	291,06	290,30	-	106	270	32	32	-	7,1
120	50	GG	7A	120L050T	2012	363,83	363,07	-	106	343	19	32	6,5	6,8
	75	GG	7A	120L075T	2012	363,83	363,07	-	106	343	25	32	3,5	7,6
	100	GG	3A	120L100T	2012	363,83	363,07	-	106	343	32	32	-	8,5


# H

1/2" (12,7 mm)

FÜR TAPER BUCHSEN




Figur 4F




Figur 5F


Z	Riemenbr.	Mat.	Fig.	Best. Nr.	Bush	Dp	De	Df	Dm	Di	F	S	R	Gewicht
16	100	ST	5F	016H100T	1108	64,68	63,31	71	-	45	31	22	9,0	0,4
18	100	ST	5F	018H100T	1210	72,77	71,39	79	-	52	31	25	6,0	0,5
	150	ST	5F	018H150T	1210	72,77	71,39	79	-	53	45	25	20,0	0,6
	200	ST	5F	018H200T	1210	72,77	71,39	79	-	52	58	25	33,0	0,8
19	100	ST	5F	019H100T	1210	76,81	75,44	83	-	56	31	25	6,0	0,6
	150	ST	5F	019H150T	1210	76,81	75,44	83	-	56	45	25	20,0	0,7
	200	ST	5F	019H200T	1610	76,81	75,44	83	-	56	58	25	33,0	0,9
20	100	ST	5F	020H100T	1210	80,55	79,48	87	-	60	31	25	6,0	0,7
	150	ST	5F	020H150T	1210	80,55	79,48	87	-	60	45	25	20,0	0,8
	200	ST	5F	020H200T	1610	80,55	79,48	87	-	60	58	25	33,0	1,0
	300	ST	4F	020H300T	1615	80,55	79,48	87	-	65	84	38	23,0	1,5
21	100	GG	5F	021H100T	1210	84,89	83,52	91	-	63	32	25	7,0	0,8
	150	GG	5F	021H150T	1210	84,89	83,52	91	-	64	45	25	20,0	1,0
	200	GG	5F	021H200T	1610	84,89	83,52	91	-	64	58	25	33,0	1,7
	300	GG	4F	021H300T	1615	84,89	83,52	91	-	66	84	38	23,0	1,2
22	100	GG	5F	022H100T	1210	88,94	87,56	93	-	67	32	25	7,0	0,9
	150	GG	5F	022H150T	1210	88,94	87,56	93	-	68	45	25	20,0	1,2
	200	GG	5F	022H200T	1610	88,94	87,56	93	-	68	58	25	33,0	1,5
	300	GG	4F	022H300T	1615	88,94	87,56	93	-	67	84	38	23,0	1,6
23	100	GG	5F	023H100T	1610	92,98	91,61	97	-	71	32	25	7,0	0,9
	150	GG	5F	023H150T	1610	92,98	91,61	97	-	71	45	25	20,0	1,3
	200	GG	5F	023H200T	1610	92,98	91,61	97	-	71	58	25	33,0	1,8
	300	GG	4F	023H300T	1615	92,98	91,61	97	-	71	84	38	23,0	1,8
24	100	GG	5F	024H100T	1610	97,02	95,65	103	-	75	32	25	7,0	1,0
	150	GG	5F	024H150T	1610	97,02	95,65	103	-	74	45	25	20,0	1,2
	200	GG	5F	024H200T	1610	97,02	95,65	103	-	74	58	25	33,0	1,5
	300	GG	4F	024H300T	1615	97,02	95,65	103	-	75	84	38	23,0	2,1
25	100	GG	5F	025H100T	1610	101,06	99,69	106	-	79	32	25	7,0	1,0
	150	GG	5F	025H150T	1610	101,06	99,69	106	-	78	45	25	20,0	1,2
	200	GG	5F	025H200T	1610	101,06	99,69	106	-	78	58	25	33,0	1,5
	300	GG	4F	025H300T	1615	101,06	99,69	106	-	79	84	38	23,0	2,0
26	100	GG	5F	026H100T	1610	105,11	103,73	111	-	83	32	25	7,0	1,2
	150	GG	5F	026H150T	1610	105,11	103,73	111	-	82	45	25	20,0	1,4
	200	GG	5F	026H200T	1610	105,11	103,73	111	-	82	58	25	33,0	1,8
	300	GG	4F	026H300T	1615	105,11	103,73	111	-	83	84	38	23,0	2,7
27	100	GG	5F	027H100T	1610	109,15	107,78	115	-	87	32	25	7,0	1,3
	150	GG	5F	027H150T	1610	109,15	107,78	115	-	87	45	25	20,0	1,6
	200	GG	5F	027H200T	1610	109,15	107,78	115	-	87	58	25	33,0	1,9
	300	GG	4F	027H300T	2012	109,15	107,78	115	-	87	84	32	26,0	3,0
28	100	GG	5F	028H100T	1610	113,19	111,82	119	-	91	32	25	7,0	1,5
	150	GG	5F	028H150T	1610	113,19	111,82	119	-	91	45	25	20,0	1,8
	200	GG	5F	028H200T	1610	113,19	111,82	119	-	91	58	25	33,0	1,9
	300	GG	4F	028H300T	2012	113,19	111,82	119	-	91	84	32	26,0	2,4




Figur 3WF




Figur 4F




Figur 4WF/9WF




Figur 5F



Figur 5WF



Figur 7A



Figur 9A

Z	Riemenbr.	Mat.	Fig.	Best. Nr.	Bush	Dp	De	Df	Dm	Di	F	S	R	Gewicht
30	100	GG	5F	030H100T	1610	121,28	119,90	127	-	99	32	25	7,0	1,7
	150	GG	5F	030H150T	1610	121,28	119,90	127	-	99	45	25	20,0	2,0
	200	GG	5F	030H200T	1610	121,28	119,90	127	-	99	58	25	33,0	2,3
	300	GG	4F	030H300T	2012	121,28	119,90	127	-	99	84	32	26,0	2,9
32	100	GG	5WF	032H100T	1610	129,36	127,99	135	92	108	32	25	7,0	2,0
	150	GG	5WF	032H150T	1610	129,36	127,99	135	92	108	45	25	20,0	2,3
	200	GG	5F	032H200T	2012	129,36	127,99	135	-	107	58	32	26,0	3,0
	300	GG	4F	032H300T	2517	129,36	127,99	135	-	107	84	45	19,5	3,3
36	100	GG	5WF	036H100T	1610	145,53	144,16	152	92	124	32	25	7,0	2,7
	150	GG	5WF	036H150T	1610	145,53	144,16	152	92	124	45	25	20,0	3,1
	200	GG	5WF	036H200T	2012	145,53	144,16	152	102	124	58	32	26,0	3,0
	300	GG	4F	036H300T	2517	145,53	144,16	152	-	124	84	45	19,5	4,5
40	100	GG	5WF	040H100T	1610	161,70	160,33	168	92	140	32	25	7,0	3,6
	150	GG	5WF	040H150T	1610	161,70	160,33	168	92	140	45	25	20,0	4,0
	200	GG	5WF	040H200T	2012	161,70	160,33	168	106	140	58	32	26,0	3,6
	300	GG	4F	040H300T	2517	161,70	160,33	168	-	137	84	45	19,5	6,0
44	100	GG	3WF	044H100T	2012	177,87	176,50	184	106	153	32	32	-	3,8
	150	GG	5WF	044H150T	2012	177,87	176,50	184	106	153	45	32	13,0	3,6
	200	GG	5WF	044H200T	2012	177,87	176,50	184	106	153	58	32	26,0	4,5
	300	GG	4WF	044H300T	2517	177,87	176,50	184	119	153	86	45	20,5	6,6
48	100	GG	3WF	048H100T	2012	194,04	192,67	200	106	169	32	32	-	3,2
	150	GG	5WF	048H150T	2012	194,04	192,67	200	106	169	45	32	13,0	4,8
	200	GG	5WF	048H200T	2517	194,04	192,67	200	119	169	58	45	13,0	4,6
	300	GG	4WF	048H300T	2517	194,04	192,67	200	119	169	86	45	20,5	7,6
60	100	GG	9A	060H100T	2012	242,55	241,18	-	106	223	34	32	1,0	4,8
	150	GG	9A	060H150T	2012	242,55	241,18	-	106	223	46	32	7,0	5,4
	200	GG	9A	060H200T	2517	242,55	241,18	-	119	223	60	45	7,5	7,0
	300	GG	9A	060H300T	2517	242,55	241,18	-	119	223	86	45	20,5	8,4
72	100	GG	9A	072H100T	2012	291,06	289,69	-	106	270	34	32	1,0	5,7
	150	GG	9A	072H150T	2012	291,06	289,69	-	106	270	46	32	7,0	6,5
	200	GG	9A	072H200T	2517	291,06	289,69	-	119	270	60	45	7,5	8,0
	300	GG	9A	072H300T	2517	291,06	289,69	-	119	270	86	45	20,5	10,4
84	100	GG	9A	084H100T	2012	339,57	338,20	-	106	318	34	32	1,0	6,8
	150	GG	9A	084H150T	2012	339,57	338,20	-	106	320	46	32	7,0	8,4
	200	GG	9A	084H200T	2517	339,57	338,20	-	119	320	60	45	7,5	9,0
	300	GG	9A	084H300T	2517	339,57	338,20	-	119	320	86	45	20,5	12,5
96	100	GG	7A	096H100T	2517	388,08	386,71	-	119	366	34	45	5,5	8,2
	150	GG	9A	096H150T	2517	388,08	386,71	-	119	366	46	45	0,5	10,2
	200	GG	9A	096H200T	2517	388,08	386,71	-	119	366	60	45	7,5	11,5
	300	GG	9A	096H300T	3030	388,08	386,71	-	150	362	86	76	5,0	14,2
120	100	GG	7A	120H100T	2517	485,10	483,73	-	119	462	34	45	5,5	12,1
	150	GG	9A	120H150T	2517	485,10	483,73	-	119	462	46	45	0,5	13,5
	200	GG	9A	120H200T	2517	485,10	483,73	-	119	462	60	45	7,5	15,4
	300	GG	9A	120H300T	3030	485,10	483,73	-	150	460	86	76	5,0	18,8